



## Window reveal bead with mesh MILANO-plus

With protective lip and 12.5 cm mesh

The **APU window reveal bead with mesh MILANO-plus** is used in compound heat insulation systems as specified in the latest APU selection criteria. Within the reveal the profile is stuck flush to the structural element there and after completion of the plastering work forms a clean and reliable termination of the plaster.

**LUND** 

The profile comes with a self-adhesive PE foam tape, which ensures a watertight, lasting seal. After the protective flap is pulled off, the integrated TPE loop can absorb movements in the area around the joint. There is a fabric window reveal bead welded onto the profile. Each bar has a fabric overhang on one side of 10cm in the lengthways direction. There is a piece of self-adhesive tape on protective flap in order to secure the third-party protective film. This protects the window during the plastering work. After completion of these tasks, the protective flap is pulled off and what is created is a clean edge to the plaster.

APU AG · Rheinweg 7 · 8200 Schaffhausen · Switzerland · info@apu.ch · www.apu.ch



## Design

	ITEM NO.	LENGTH	PACKAGING UNIT	WEIGHT (per PU)
MILANO-plus window reveal bead with mesh				
W32-plus				
With protective lip and 12.5 cm mesh	W32-14PLUS	1.4 m	25 bars = 35 m	4.1 kg
	W32-24PLUS	2.4 m	25 bars = 60 m	7.9 kg

## Features

	MILANO-PLUS WINDOW REVEAL BEAD WITH MESH
Material	<ul><li>Rigid PVC manufactured under DIN-16941</li><li>TPE manufactured under DIN-16941</li></ul>
Protective flap	<ul> <li>Detachable with soft TPE connection and double-sided adhesive tape</li> </ul>
Features	Flexible TPE loop
Seal	PE foam tape 8x3 mm
Mesh	<ul> <li>Min. 160 g/m<sup>2</sup> approved for compound heat insulation systems</li> <li>12.5 cm wide - MW 4x4mm</li> <li>Ultrasonic welded</li> </ul>
Inspections	<ul> <li>VDPM leaflet: Class A with adhesive connection</li> <li>Ö-Norm 6400-2: Class III</li> </ul>

## Important information

Storage	Always store profiles laid down in a dry place.
Test of adhesion	Perform adhesion test. ▶ See general tips – APU test of adhesion
Other applications	Any applications not clearly described in the documents may be implemented only after consultation with the plaster or ETICS manufacturer.
Selection criteria	Adhere to the latest APU selection criteria. > see APU selection criteria

For information on materials, areas of use, tests and correct application, please refer to our 'General Advice and Information'







Sectional drawing in mm



Application drawing



Function