



Window reveal bead with mesh TORINO-pro With shadow gap and 12.5 cm mesh

The **APU window reveal bead with mesh TORINO-pro** is used in compound heat insulation systems as specified in the latest APU selection criteria. Within the reveal the profile is stuck flush to the structural element there and after completion of the plastering work forms a clean and reliable termination of the plaster with shadow gap.

The profile comes with a self-adhesive PE foam tape, which ensures a watertight, lasting seal. After the protective flap is pulled off, the integrated TPE loop can absorb movements in the area around the joint. There is a fabric window reveal bead welded onto the profile. Each bar has a fabric overhang on one side of 10cm in the lengthways direction. There is a piece of self-adhesive tape on protective flap in order to secure the third-party protective film. This protects the window during the plastering work. After completion of these tasks, the protective flap is pulled off and what is created is a clean edge to the plaster.



Design

ITEM N	O. LENGTH	PACKAGING UNIT	WEIGHT (per PU)
--------	-----------	-------------------	--------------------

TORINO-pro window reveal bead with mesh

W34 - pro

With shadow gap and 12.5 cm mesh W34-24PR0 2.4 m 25 bars = 60 m 10.5 kg

Features

	TORINO-PRO WINDOW REVEAL BEAD WITH MESH
Material	Rigid PVC manufactured under DIN-16941TPE manufactured under DIN-16941
Protective flap	Detachable with soft TPE connection and double-sided adhesive tape
Features	■ Flexible TPE loop
Seal	■ PE foam tape 14 x 3 mm
Mesh	 Min. 160 g/m² approved for compound heat insulation systems 12.5 cm wide – MW 4x4mm Ultrasonic welded
Inspections	VDPM leaflet: Class A with adhesive connectionÖ-Norm 6400-2: Class III


Important information


Storage	Always store profiles laid down in a dry place.
Test of adhesion	Perform adhesion test. • See general tips – APU test of adhesion
Other applications	Any applications not clearly described in the documents may be implemented only after consultation with the plaster or ETICS manufacturer.
Selection criteria	Adhere to the latest APU selection criteria. * see APU selection criteria

For information on materials, areas of use, tests and correct application, please refer to our 'General Advice and Information'



Details





Function