





The **APU** window reveal bead with mesh PUR-FIX-pro is used in compound heat insulation systems as specified in the latest APU selection criteria. The profile is put in place shortly before the insulation of the reveal, is fixed flush to the structural element and after completion of the plastering work provides a clean and reliable termination of the plaster with a shadow gap.

The profile comes with an expanding PUR sealing strip, which ensures a watertight, lasting seal without any sticking directly to the structural element. The PUR sealing strip is impacted lengthways in the profile and has an overhang for sealing the joint. The PUR sealing strip is able to absorb relatively large movements in the area around the joint. There is a fabric window reveal bead welded onto the profile. Each bar has a fabric overhang on one side of 10cm in the lengthways direction. There is a piece of self-adhesive tape on protective flap in order to secure the third-party protective film. This protects the window during the plastering work. After completion of the work the protective flap and the red activation tab are removed and what is created is a clean plaster edge. The profile is thus suitable for all standard windows and doors and can be universally used.



## Design

	ITEM NO.	LENGTH	PACKAGING UNIT	WEIGHT (per PU)
PUR-FIX-pro window reveal bead with mesh				
W38-pro With shadow gap and 12.5 cm mesh	W38-14PR0	1.4 m	25 bars = 35 m	7.4 kg
	W38-24PR0	2.4 m	25 bars = 60 m	12.4 kg
Grey, similar to RAL 7016	W38-24PR0-7016	2.4 m	25 bars = 60 m	12.4 kg

## **Features**

	PUR-FIX-PRO WINDOW REVEAL BEAD WITH MESH
Material	■ Rigid PVC manufactured under DIN-16941
Protective flap	<ul><li>Detachable with soft TPE connection and double-sided adhesive tape</li></ul>
Fixation	■ PE foam tape 6x1 mm
Seal	<ul><li>PUR sealing strip, 10 mm, type BG1</li><li>Watertight for joints of 3-9mm</li></ul>
Mesh	<ul> <li>Min. 160 g/m² approved for compound heat insulation systems</li> <li>MW 4x4mm</li> <li>Ultrasonic welded</li> </ul>
Inspections	<ul><li>VDPM leaflet: Class A without adhesive connection</li><li>Ö-Norm 6400-2: Class III</li></ul>


## Important information


Storage	Always store profiles laid down in a dry place.
Test of adhesion	No test of adhesion required.
Other applications	Any applications not clearly described in the documents may be implemented only after consultation with the plaster or ETICS manufacturer.
Selection criteria	Adhere to the latest APU selection criteria. * see APU selection criteria

For information on materials, areas of use, tests and correct application, please refer to our 'General Advice and Information'




## Details






Sectional drawing in mm

Application drawing





Function