





The APU window reveal bead with mesh PUR-FIX-N is used in compound heat insulation systems as specified in the latest APU selection criteria. After opening the activation tab in the reveal insulation, the profile is fixed in the insulating material at a distance of c. 2 mm from the structural element using the plastic nails provided (Z21), and after completion of the plastering work provides a clean, reliable plaster junction.

The profile comes with an expanding PUR sealing strip, which ensures a watertight, lasting seal without any sticking directly to the structural element.

The PUR sealing strip is impacted lengthways in the profile and has an overhang for sealing the joint at the end of the profile. The PUR sealing strip is able to absorb relatively large movements in the area around the joint. There is a fabric window reveal bead welded onto the profile. Each bar has a fabric overhang on one side of 10cm in the lengthways direction. The profile is available in two versions: with protective lip (W36 - plus) or with shadow gap (W36 - pro). There is a piece of self-adhesive tape on protective flap in order to secure the third-party protective film. This protects the window during the plastering work. After completion of these tasks, the protective flap is pulled off and what is created is a clean edge to the plaster.

Design

ITEM NO.	LENGTH	PACKAGING UNIT	WEIGHT (per PU)
----------	--------	-------------------	--------------------

PUR-FIX-N window reveal bead with mesh

With 12.5 cm mesh

W36-plus

■ PUR-FIX-N window reveal bead with mesh				
With protective lip	W36-24PLUS	2.4 m	25 bars = 60 m	14.8 kg
W36-pro ■ PUR-FIX-N-pro window reveal bead with mesh				
with shadow gap	W36-24PR0	2.4 m	25 bars = 60 m	14.8 kg


Features

	PUR-FIX-N WINDOW REVEAL BEAD WITH MESH
Material	Rigid PVC manufactured under DIN-16941TPE manufactured under DIN-16941
Protective flap	Detachable with soft TPE connection and double-sided adhesive tape
Fixation	■ Plastic nails Z21
Seal	PUR sealing strip, 12 mm, type BG1Watertight for joints of approx. 6 mm
Mesh	 Min. 160 g/m² approved for compound heat insulation systems 12.5 cm wide – MW 4x4mm Ultrasonic welded
Accessories	Z21-2000 APU plastic nailsZ14-0000 APU-plug connectors
Inspections	VDPM leaflet: Class A without adhesive connectionÖ-Norm 6400-2: Class III

Important information

Storage	Always store profiles laid down in a dry place.
Test of adhesion	No test of adhesion required.
Other applications	Any applications not clearly described in the documents may be implemented only after consultation with the plaster or ETICS manufacturer.
Selection criteria	Adhere to the latest APU selection criteria. ▶ see APU selection criteria

For information on materials, areas of use, tests and correct application, please refer to our 'General Advice and Information'



Details

