

The **APU movement joint DUO-TEX** is used in compound heat insulation systems for forming vertical movement joints and in dry wall construction for compensating minor structural element movements.

The profile has two perforated plaster bars, welded to each of which is a mesh strip. Between the profiles there is a co-extruded, flexible TPE loop, which can absorb smaller structural element movements. It is covered with protective film to protect it during the plastering work. Thanks to the flexible lug, the profile can be used on flat surfaces and inner corners. The raised edge of the plaster take-up area is available in two different versions (5,5 mm and 8,5 mm plaster thickness). In the course of the work, the profile can additionally be fixed in the insulating material using the plug connectors provided (Z13). The area where pieces abut must be sealed off using a suitable sealant (e.g., PUR sealing strip, Butyl sealing strip, or similar).

After the plastering work is completed and protective film is removed, a clean termination of the plaster is created.



Design

	ITEM NO.	LENGTH	PACKAGING UNIT	WEIGHT (per PU)	
DUO-TEX expansion joint profile					
W50 With 2 x 12.5 cm mesh					
Plaster thickness 5,5 mm	W50-2003	2.0 m	25 bars = 50 m	7.1 kg	
Plaster thickness 8,5 mm	W50-2006	2.0 m	25 bars = 50 m	8.1 kg	

Features

	DUO-TEX EXPANSION JOINT PROFILE
Material	Rigid PVC manufactured under DIN-16941TPE manufactured under DIN-16941
Mesh	 Min. 160 g/m² approved for compound heat insulation systems 2 x 12.5 cm wide – MW 4x4mm Ultrasonic welded
Accessories	■ Z13-0000 Plug connectors (1 bag)
Movement absorbed on surface area	 W50-2003 stretchable by c. 4 mm, compressible by c. 1-2 mm W50-2006 stretchable by c. 10-15 mm, compressible by c. 1-2 mm
Movement absorbed in internal corner	 W50-2003 stretchable by c. 2 mm, compressible by c. 1 mm W50-2206 stretchable by c. 5-6 mm, compressible by c. 1-2 mm


Important information

Storage	Always store profiles laid down in a dry place.
Other applications	Any applications not clearly described in the documents may be implemented only after consultation with the plaster or ETICS manufacturer.
	consultation with the plaster of E1103 manufacturer.


For information on materials, areas of use, tests and correct application, please refer to our 'General Advice and Information'



Details



Sectional drawing in mm



Application drawing